

efi REGGIANI ReNOIR PRO

Digital Printing Machine for Direct Printing on Fabric

Achieve PROductivity and quality
without compromise.



Digital excellence




High-performance industrial digital printing machine with a maximum printing width of 340 cm, ReNOIR PRO guarantees extreme flexibility, large productivity, and high efficiency to the printing market ensuring the optimal print quality.

APPLICATIONS	
Fashion	✓
Home textile	✓
Automotive	✓
Outdoor	✓
INKS	
Disperse direct	✓
Reactive	✓
Acid	✓
Disperse sublimation	✓
Textile pigment	✓

SUBSTRATES	
Cotton	✓
Blends	✓
Polyester	✓
Polyamide	✓
Silk	✓
Viscose	✓
Polyester and elastane	✓
Polyamide and elastane	✓
Wool	✓

		PRO 180 cm		PRO 240 cm		PRO 340 cm	
RESOLUTION	PASS	LMH	SQMH	LM/H	SQM/H	LM/H	SQM/H
300x600	1	360	600	300	700	250	800
400x600	1	300	520	260	600	220	700
600x600	1	225	380	190	430	155	490
600x1200	2	220	370	185	420	150	475
800x1200	2	165	280	140	320	115	360
600x2400	4	105	180	90	205	75	230
1200x2400	4	105	180	90	205	75	230





Specifications

- 180-240-340 cm printing width
- Production speed
(max) 600-700-800 sqm/h
- From 8 to 16 printing heads
- From 4 to 72 pl drop size
- Up to 2400 DPI
- Fabric weight from 30 to 450 gr/sqm
- **Fabric feed (Entry):**
- small roll unwinder up to ø 400 mm
- **Fabric take-up (Exit):**
- fold
- small roll winder up to ø 400 mm
- fold and small roll winder up to ø 400 mm
- **Dryer:**
- one industrial chamber

Optional

- **Fabric feed (Entry):**
- big roll unwinder (A frame) up to ø 1,600 mm
- fold
- segmented roller
- **Fabric take-up (Exit):**
- big roll winder (A frame) up to ø 1,600 mm
- **Dryer:**
- additional industrial chamber

* Further colour configurations available

Features

- Ink management: in line double degassing and filtering
- Blanket washing: continuous, switchable. With air blade
- Adhesion method: permanent, thermoplastic, resin or electrostatic bars
- Air blade for optimal substrate adhesion
- Color feeding: Reggiani Dyespenser® (10L)
- Embedded system for adhesive application
- Dynaplast: Reggiani patented system
- High-precision transportation belt
- Full variable drop size
- High-efficiency dryer with removable filters for cleaning
- Ups on board for uninterruptable power supply, raid disk for data redundancy, and automatic backup, embedded diagnostic with database integration
- Head crash protective system
- High-efficiency head wiping
- Ink recovery system (improved)
- Curing: in line polymerisation/heat curing dryer
- Real time image processing (optional)
- Bypass for fumes extraction during in-line curing (optional)
- Ink system open to certified suppliers

Advantages

- For use in both sampling and production
- Multiple customisations available
- Quick answer to production requests
- No need of head alignment
- Low maintenance costs
- Lowest ink usage
- Easy maintenance
- Easy access to main machine modules
- Easy to use
- Easy colour refill
- Easy operation
- Suitable for 24/7 operation
- One operator can manage multiple machines

Improvements

- New high-efficiency dryer
- New design
- New electronic and user interface. Diagnostic embedded
- New blade print server with UPS
- New enhanced ink recovery system, up to 95% of ink saving

EFI fuels success.

We develop breakthrough technologies for the manufacturing of signage, packaging, textiles, ceramic tiles, and personalised documents, with a wide range of printers, inks, digital front ends, and a comprehensive business and production workflow suite that transforms and streamlines the entire production process, increasing your competitiveness and boosting productivity. Visit www.efi.com/reggiani or call +39 035 3844511 for more information.



Nothing herein should be construed as a warranty in addition to the express warranty statement provided with EFI products and services.

The APPS logo, AutoCal, Auto-Count, Balance, Best, the Best logo, BESTColor, BioVu, BioWare, ColorPASS, Colorproof, ColorWise, Command WorkStation, CopyNet, Cretachrom, Cretaprint, the Cretaprint logo, Cretaprinter, Cretaroller, DockNet, Digital StoreFront, DirectSmile, DocBuilder, DocBuilder Pro, DocStream, DSFdesign Studio, Dynamic Wedge, EDOX, EFI, the EFI logo, Electronics For Imaging, Entrac, EPCount, EPPhoto, EPRegister, EPStatus, Estimate, ExpressPay, Fabrivid, Fast-4, Fiery, the Fiery logo, Fiery Driven, the Fiery Driven logo, Fiery JobFlow, Fiery JobMaster, Fiery Link, Fiery Prints, the Fiery Prints logo, Fiery Spark, FreeForm, Hagen, InkIntensity, Inkware, JetTrion, the JetTrion logo, LapNet, Logic, MiniNet, Monarch, MicroPress, OneFlow, Pace, PhotoXposure, Printcafe, PressVu, PrinterSite, PrintFlow, PrintMe, the PrintMe logo, PrintSmith, PrintSmith Site, PrintStream, Print to Win, Prograph, PSI, PSI Flexo, Radius, Rastek, the Rastek logo, Remoteproof, RIPChips, RIP-While-Print, Screenproof, SendMe, Sincolor, Splash, Spot-On, TrackNet, UltraPress, UltraTex, UltraVu, UV Series 50, VisualCal, VUTEK, the VUTEK logo, and WebTools are trademarks of Electronics For Imaging, Inc. and/or its wholly owned subsidiaries in the U.S. and/or certain other countries.